

WHAT IS CLAIMED IS:

1. A management device comprising:

wireless communication means for wireless  
communication with a communication control device;

5 memory means for storing identification data  
for identifying said communication control device;

reception means for receiving data from a  
management center connected through a communication  
network; and

10 registration means for registering, in said  
memory means, the identification data received by said  
reception means, for identifying said communication  
control device.

15 2. A management device according to claim 1,  
wherein said wireless communication means executes  
communication for managing, by said management center,  
a peripheral device connected to said communication  
control device.

20 3. A management device according to claim 1,  
wherein said registration means registers, in said  
memory means, identification data received by said  
reception means for identifying said management device.

25 4. A management device according to claim 1,  
wherein said wireless communication means functions as

a base wireless station for said communication control device functioning as a mobile wireless station.

5           5.    A management device according to claim 1,  
wherein said registration means registers, in said  
memory means, identification data for identifying  
plural communication control devices connected by said  
reception means.

10           6.    A management center comprising:  
              connection means for connecting a management  
device through a communication network;  
              memory means for storing identification data of  
a communication control device executing wireless  
15           communication with said management device; and  
              registration means for registering, in said  
management device, identification data of said  
communication control device stored in said memory  
means.

20           7.    A management device comprising:  
              wireless communication means for wireless  
communication with plural communication control  
devices;  
25           memory means for storing identification data  
for identifying said plural communication control  
devices;

connection means for connecting a management center through a communication network; and

registration means for registering, in said memory means, identification data received by said wireless communication means from one of said plural communication control device, for identifying said plural communication control devices.

8. A management device according to claim 7, wherein said registration means registers identification data received by interslave communication by said wireless communication means, from one of said plural communication control devices, for identifying said plural communication control devices.

9. A communication control device comprising: wireless communication means for executing wireless communication with a management device;

memory means for storing identification data of another communication control device executing wireless communication with said management device; and

registration means for registering, in said management device, identification data of another communication control device stored in said memory means;

wherein said wireless communication means

executes communication with a management center connected with said management device through a communication network.

5           10. A communication control device according to claim 9, wherein said registration means registers, in said management device, identification data of another communication control device stored in said memory means, in response to an information signal from  
10 said management device.

          11. A management device comprising:  
          wireless communication means for wireless communication with a communication control device;  
15           mounting means for detachably mounting a memory; and  
          connection means for connecting with a management center through a communication network;  
          wherein said wireless communication means  
20 communicates with said communication control device according to identification data of the communication control device stored in the memory mounted on said mounting means.